

IN THE CLAIMS:

Please amend the claims to read as follows:

1. (Currently Amended) A process for producing nanocarbon materials, comprising the following steps:
 - a. providing a an unsupported catalyst with a particle size of ≤ 10 nm and a surface area greater than 50 m²/g;
 - b. reacting carbonaceous feedstocks in the presence of the catalyst over a given period of time to produce carbon nanofibers with over 99% purity and a morphological selectivity ~~approaching 100%~~ greater than 95% in yields ≥ 140 g carbon/g catalyst with higher reactivity.
2. (Original) The process in claim 1, wherein the catalyst is a metal oxide catalyst selected from the metals including iron, nickel, cobalt, lanthanum, gold, silver, molybdenum, iron-nickel, iron-copper and their alloys.
3. (Original) The process in claim 1, wherein the catalyst is prepared to specific parameters (size distribution, composition and crystallinity) specified and via a flame synthesis process.
4. (Original) The catalyst in claim 1, wherein the catalyst possesses a single crystal morphology.
5. (Original) The process in claim 1, wherein the yield of carbon nanomaterial resulted in ≥ 140 g carbon per g/catalyst.
6. (Original) The process in claim 1, wherein the morphology of the carbon micro structure can be selectively controlled to achieve various desired orientations in selectivities of $\geq 90\%$.
7. (Currently Amended) A process for producing nanocarbon materials, comprising the following steps:

a. providing a an unsupported metal oxide catalyst with a particle size of about ≤ 10 nm and a surface area greater than 50 m²/g;

b. reacting carbonaceous feedstocks in the presence of the catalyst over a given period of time to produce carbon nanofibers with over 99% purity and a morphological selectivity between 95% and 100% ~~approaching 100%~~ with yield ≥ 140 g carbon/g catalyst.

8. (Original) The process in claim 7, wherein the reaction took place at a temperature not exceeding 550 C.

9. (Original) The process in claim 7, wherein the purity of carbon nanofibers was $\geq 99\%$ after 8 hours reaction time.

10. (Original) The process in claim 7, wherein the metal oxide catalyst is selected from a group of metals including iron, nickel, cobalt, lanthanum, gold, silver, molybdenum, iron-nickel, iron-copper and their alloys.

11. (Withdrawn) Carbon nanofibers of high purity and high reactivity, produced by the steps of:

a. providing a metal oxide catalyst with a particle size of ≤ 10 nm and a surface area greater than 50 m²/g;

b. reacting carbonaceous feedstocks in the presence of the catalyst over a given period of time to produce the carbon nanofibers with over 99% purity and a selectivity approaching 100% with higher reactivity.

12. (Withdrawn) The carbon nanofibers produced by the process in claim 11, wherein the metal oxide catalyst is selected from a group of metals including iron, nickel, cobalt, lanthanum, gold, silver, molybdenum, iron-nickel, iron-copper and their alloys.

13. (Withdrawn) The carbon nanofibers produced by the process in claim 11, wherein the purity of carbon nanofibers was $\geq 99\%$ in after 8 hours reaction time.

14. (Withdrawn) A carbon nanofiber, of the type produced in the presence of an metal

oxide catalyst, the carbon nanofiber comprising at least 99% pure carbon, and produced at high yield, and >90% morphological selectivity.

15. (Withdrawn) The carbon nanofiber in claim 14, wherein the metal oxide catalyst is selected from a group of metals including iron, nickel, cobalt, lanthanum, gold, silver, molybdenum, iron-nickel, iron-copper and their alloys.

16. (Withdrawn) A carbon nanofiber composition exhibiting 90% Selectivity to a single morphology as produced.

17. (Withdrawn) The composition in Claim 16, wherein the morphology comprises graphene layers oriented parallel to the fiber axis.

18. (Withdrawn) The composition in Claim 16, wherein the morphology comprises graphene layers oriented perpendicular to the fiber axis.

19. (Withdrawn) The composition of Claim 16, wherein the morphology comprises graphene layers oriented at a specific and equal ($\pm 10^\circ$) angle to the fiber axis.

20. (New) The process in claim 1, wherein the nanofibers possess a morphological selectivity between 95% and 100% in yields ≥ 140 g carbon/g catalyst with higher reactivity.